L20N

NEXTGEN L10N FRAMEWORK FOR THE WEB

Created by

Slides ()

HOW MANY OF YOU...

are native English speakers?

HOW MANY OF YOU...

use software in a non-English locale?

UI LOCALIZATION


Zibi Braniecki, @zbraniecki Mozilla L10n Labs, @mozilla_l10n


MOZILLA


MOZILLA

- over 700 million daily users
- Web browsers, email clients, mobile platforms
- 93+ languages
- 100% volunteer based
- maintaining localizations for over 10 years

INTRODUCING THE PROBLEM







HOW DOES INTERFACE LOCALIZATION WORK?

dated approach
English-centric
key-value pairs
plurals if you're lucky

	А	В	С	D	E	
1		ENGLISH	POLISH	GERMAN	ITALIAN	SPA
2	CHECK ALL SHEETS	EN	PL	DE	IΤ	E
3	label	ОК	ОК	ОК	OK	CA
4	label	YES	Tak	Ja	SI	5
5	label	NO	Nie	Nein	NO	N _s
6	label	Yes, sure!	Tak, pewnie	Ja, bitte!	Si, certo!	Si, ¡Por s
7	label	No, thanks!	Nie, dzięki	Nein, danke!	No grazie!	No, g
8	label	Error	Błąd	Fehler	Errore	Er
9	label	Web	Sieć	Web	Web	W
10	label	Sounds on?	Włączyć dzwięki?	Sound/Töne an?	Suoni attivi?	¿Activar
11	label	Music on?	Włączyć muzykę?	Musik an?	Musica attiva?	¿Activar
12	label	Sound off	Dźwięki: wyłączone	Sound/Töne aus	Suoni disattivati	Desactiv
13	label	Music off	Muzyka: wyłączona	Musik aus	Musica disattivata	Desactiv
14	label	e-mail	E-mail	Email	e-mail	en
15	label	Mute	Wycisz	Stumm schalten	Muto	Sile
16	label	game version	Wersja gry	Spielversion	Versione del gioco	Versión
17						
18						
19						
20	button label	Remind me later	Przypomnij później	Erinnere mich später	Ricordamelo dopo	Recordar
21	button label	Contact us	Napisz do nas	Kontakt	Contattaci	Conta
22	button label	More Games	Więcej gier	Mehr Spiele	Altri giochi	Más j
23	button label	More our app	Więcej aplikacji	Mehr Apps	Altre nostre app	Más
24	button label	About us	O autorach	Über uns	Chi siamo	Sobre r
25	button label	Credits	Autorzy	Danksagung	Credits	Cré
26	button label	Cancel	Anuluj	Abbrechen	cancella	Can
27	hutton lahel	Rack	Wróć	7urück	indietro	Δt
■ Basic words General words General words Device Marketing Social Greetings Charac						

FILE --> OPEN...

JANE LIKED YOUR ALBUM WITH 4 PHOTOS AND SHARED 3 OF THEM TO HER 357 FOLLOWERS IN 4 COUNTRIES AT 9.23 AM YESTERDAY (ON APRIL 24TH, 2013). HAVE A GOOD DAY! (YOU HAVE 3 MORE UNREAD NOTIFICATIONS)

LOCALIZATION LOGIC IN YOUR SOURCE CODE

(if you're a developer)

OTHER LANGUAGES' LOGIC IN YOUR LANGUAGE'S LOGIC

(if you're a localizer)

AND, PERHAPS MORE IMPORTANTLY POOR UX

(if you're a user)

SOLUTION

NEW PARADIGM

client-side
 isolated
 grammar-agnostic
 responsive
based on a social contract

LANGUAGE ISOLATION

```
<liked "{{ $user.name }} liked your photo.">

<liked[$user.gender] {
  feminine: "{{ $user.name }} polubiła twoje zdjęcie.",
  masculine: "{{ $user.name }} polubił twoje zdjęcie.",
}>
```

ENCAPSULATION

```
document.l10n.localize(['hello', 'new'], function(l10n) {
   var node = document.querySelector('[l10n-id=hello]');
   node.textConent = l10n.entities.hello;
   node.classList.remove('hidden');
});
```

SOCIAL CONTRACT

Developers provide important data as *context data*L20n always returns strings

RESPONSIVE

Retranslate pieces of UI when something changes

L20N

DATA MODELS

Resource

Locale

Context

Bindings

SYNTAX

```
<h2 l10n-id="hello"></h2>
<hello "Hello, World!">
<hello "Witaj świecie!">
document.l10n.localize(['hello'], function(l10n) {
  element.textContent = 110n.entities['hello'].value;
});
```

CONTEXT DATA

```
<script type="application/l10n-data+json">
{
    "user": {
        "name": "John",
        "gender": "male"
    }
} </script>
```

```
<hello "Hello, {{$user.name}}">
```

```
<missed[ $missedCalls == 1 ? 'one': 'many' ] {
  one: "You have one missed call",
  many: "You have {{$missedCalls}} missed calls"
}>
```

```
<plural($n) { $n == 1 ? 'one': 'many' }>

<missed[plural($missedCalls)] {
  one: "You have one missed call",
  many: "You have {{$missedCalls}} missed calls"
}>
```

GLOBALS

@os

@hour

@screen.width

```
<hello[@hour < 12 ? 'morning' : 'evening' ] {
  'morning': 'Good morning',
  'evening': 'Good evening'
}>
```

```
<hello[@screen.width < 640 ? 'short' : 'long' ] {
   'short': 'Sound',
   'long': 'Sound & Voice Settings'
}>

document.ll0n.localize(['hello'], function(ll0n) {
   element.textContent = ll0n.entities['hello'].value;
});
```

RESPONSIVE L10N



CLDR / ICU EXTENSIONS?

```
<hello "You have @i18n.formatCurrency($savings)">

<unreadEmails "You have @i18n.formatNumber($unreadEmails)">

<todayIs "Today is @i18n.toLocaleDateString($date)">
```

LANGUAGE PACKS



TOOLS

We're committed to invest in I10n environments

1.0 RC

Release in the coming days

Try it at

Fork it at

THE END

BY ZIBI BRANIECKI / MOZILLA.ORG